

# LVSP345BQX





**Product Family** Dishwashers Commercial width 60 cm Commercial height 85 cm

Installation Free-standing N° baskets 3, FlexiDuo with Easy Glide

Motor Inverter 2.0 **EAN** code 8017709307295



## **Programs**























N. of programmes 10 + 1Washing temperatures 38, 45, 50, 55, 65, 70, 75 °C Soak Express 27' Yes Crystal Yes Full express - 60 Yes minutes

**ECO** Yes Auto sensor 45-65 Quiet (-2 dB)

Yes Yes Intense Yes Self clean Yes Hygiene 99,9% Yes

# **Options**









Dry Assist+ option **Delay timer option** 

Up to 24 hours

1/2 load FlexiZone option

Yes

Yes

Special programs option Yes

### **Baskets**



colour



**Basket colour Basket components** 

Grey Grey

Upper basket with EasyGlide System

Yes

Largest loadable dish in 19,0 cm

upper basket Lower Basket

With 4 foldable racks



Handle

In plastic with stainless steel insert on upper and

lower basket

**Upper Basket** 

With 3 foldable racks

Glass holder

Height adjustment of the upper basket

Yes

On three levels (5 cm)

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket

Colour Inner Components Blue

#### **Technical Features**









Width (mm) Depth (mm) Display type

OI FD Product Height (mm) 848 mm **Controls** 

Display

Delayed start, Programme indication, Dynamics

Programme graphics On/off indicator Yes Salt light indicator Rinse aid indicator

End of cycle indicator

Washing system Third spray arm

Water softener

598 mm 600 mm

Electronic

time indicator, Time to end programme time indicator **Symbols** 

Light Light

On display, with acoustic

signal **Planetarium** 

Sinale

With electronic setting

Turbidity sensor

Aquatest

Flood protection system

Water supply

**Total Acquastop** Single; cold/hot water max.

60°C - energysave with hot water up to 35%

100°fH;58°dH Max water hardness

Drying system Natural condenser drying, with Dry Assist + automatic door opening system at the

Yes

end of the cycle Stainless steel Stainless steel

Filter Concealed heating

element

Hinges

Tub material

Self balancing with fixed

hinges

Yes

Adjustable feet Just for levelling Back cover Yes, with covered counterweight

Depth of dishwasher with open door (mm)

Removable top

1168

Yes, with optional KIT

# Performance / Energy Label - Reg. 2019









**Energy Efficiency Class Energy consumption** 

64 KWh

[per 100 cycles, based on the eco programme]

Rated capacity (ps) Water consumption [per 9,0 litres

cycle]

Programme duration

Airborne acoustical noise emissions

> Airborne acoustical noise emission class

**Energy efficiency Index** 

(EEI)

4:25 h:min

44 dB(A) re 1 pW

В


37,8

# **Electrical Connection**

Plug (F;E) Schuko Frequency (Hz) 50 Hz




Connected power Current Voltage 1800 W 10 A 220-240 V Type of connection Power supply cable length Single-phase 140 cm





# **Compatible Accessories**

#### KITGH



# mannan

**KITINC** 

#### KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2



## Symbols glossary



The Aquatest sensor is an electronic sensor that measures the degree of water transparency at the end of the initial soaking phase. ased on the values measured, the sensor sets the most suitable programme, thus obtaining the best washing results with the minimum amount of water.



To improve the drying of dishes without leaving stains.



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



The Dry Assist + option, in addition to saving energy, ensures perfect drying of the dishes by opening the door automatically at the end of the washing cycle.



Energy efficiency class B



Crystals: The Crystals programme is dedicated to delicate dishes such as glasses and china.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Mix: The Mix programme is suitable for mixed crockery and everyday pots and pans, without any particular incrustation.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Express 27': The Express 27' programme is a quick wash cycle, at low temperatures, for lightly soiled dishes.



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°c eliminating virtually all bacteria.



14 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.





System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Quick wash cycle for normally soiled mixed loads such as dishes and pans, even with dried-on residues. Dishes are washed and dried in 60 minutes.



Dishwasher cleaning cycle. The cycle should be started with the machine empty, without dishes. It is recommended to run the program every 2-3 months, using special dishwasher detergents.



SILENT: Wash cycle suitable for normally soiled dishes, even with dried-on residues. Ensures maximum noise reduction and is therefore ideal if you wish to run it during the night.



Allows you to enable additional programs when selected together with any wash cycle. After having selected the required wash cycle, press the button (



HYGIENE 99.9% High-temperature washing programme. The 75° rinse guarantees the removal of 99.9% of germs and bacteria.



The work aimed at continuous improvement has allowed the creation of the second generation of the Inverter motor 2.0, characterised by greater efficiency and durability over time, which allows very high performance and a lower energy consumption and noise level.





## Benefit (TT)

#### FlexiDuo

The flexible third basket provides additional space, adapting to the load to accommodate various types of dishes, ensuring optimal organization and efficient use of interior capacity

The third FlexiDuo basket consists of two separate sections that can be handled independently of each other, stacked and/or removed, offering loading flexibility for every need. Depending on the arrangement, it allows cups, tall glasses, bulky utensils and pots and pans to be placed in the upper basket.

#### Planetarium Wash System

Full and deep wash coverage thanks to the advanced movement of the spray arm, an innovation patented by Smeg

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.

#### DryAssist+

The Dry Assist+ system of automatic door opening at the end of the cycle ensures fast and energy-efficient drying