

LYG800

Sink material	Stainless steel
Type	Monoblock bowl
No. of bowls	1
EAN code	8017709273071



Aesthetics



Aesthetic	Universale	Building in type	Standard
Colour	Stainless steel	Logo	Embossed
Finishing	Brushed	Tap hole / precut tap hole	1 Tap hole
Series	Omni		

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	720*414*191	191	60	Yes, traditional	Wall position	3.5"

Technical Features




Dimensions of the product (mm)	191x798x498 mm	Tap hole diameter	35 mm
Cutout dimension topmount (mm)	780*480 R36 mm	Gasket type	Sealing paste
Height from kitchen top	8 mm	No. of clips	10
Base unit size	90 cm	Type of clips	Standard
Tap hole	1		

Accessories included

**Accessories for
installation**

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips,
Gasket



Compatible Accessories

**3712**

Siphon single bowl sinks (dishwasher connection included)

**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**RND1V**

Rondò waste kit 1 bowl with standard overflow

**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**STABMIX**

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area