

LYG800

Sink material Stainless steel
Type Monoblock bowl
No. of bowls 1
EAN code 8017709273071



Aesthetics



Aesthetic Universale
Colour Stainless steel
Finishing Brushed
Series Omni
Building in type Standard
Logo Embossed
Tap hole / precut tap hole 1 Tap hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	720*414*191	191	60	Yes, traditional	Wall position	3.5"

Technical Features




Dimensions of the product (mm) 191x798x498 mm
Cutout dimension topmount (mm) 780*480 R36 mm
Height from kitchen top 8 mm
Base unit size 90 cm
Tap hole 1
Tap hole diameter 35 mm
Gasket type Sealing paste
No. of clips 10
Type of clips Standard

Accessories included

Accessories for
installation

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips,
Gasket



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area