

LYG800

Sink material Stainless steel Monoblock bowl Type

No. of bowls

EAN code 8017709273071



Aesthetics



Universale Building in type **Aesthetic** Standard Colour Stainless steel Logo **Embossed Finishing** Brushed Tap hole / precut tap 1 Tap hole hole

Series Omni

_	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	720*414*191	191	60	Yes, traditional	Wall position	3.5"

Technical Features



Dimensions of the 191x798x498 mm

product (mm)

Cutout dimension 780*480 R36 mm

topmount (mm)

Height from kitchen top 8 mm Base unit size 90 cm Tap hole

Tap hole diameter 35 mm Gasket type Sealing paste

No. of clips


Type of clips Standard

Accessories included



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket





Compatible Accessories





Siphon single bowl sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area