

LYP102FR2

Sink material Stainless steel Sink type Monoblock sink

No. of bowls 1 + 1/2Drainer Reversible

EAN code 8017709308193



Aesthetics



Universal **Aesthetics Building in type** Ultra-low profile Colour Stainless steel Logo Silk screen

Finishing Pre-polished Half bowl cup drainer Yes

Series Omni 2 Tapholes

Tap hole / precut tap hole

	Bowl type	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.5	170 x 330 x 93	93	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.5	342 x 380 x 163	163	74	Yes, traditional	Side bowl	3.5"

Technical Features

Height from kitchen top



Dividing wall width Frame thickness 0,5 mm 40 mm Frame depth (mm) **Drainer inclination** 1 °

Dimensions of the 163x1000x500 mm Sealing paste Gasket type

product WxDxH (mm) Pre-assembled gasket Yes Cutout dimension (mm) 975 x 475 mm No. of clips 8

5 mm

Cutout radius 10 mm Type of clips Standard

SMEG SPA 02/12/2025




Base unit size

60 cm

Accessories Included

Accessories for installation

Strainer, Siphon save space with dishwasher outlet connection, Fixing clips, Pre-assembled gasket, Tap reinforcement, Blanking cap



SMEG SPA 02/12/2025



Symbols glossary



Cupboard width required for sink installation



Sink depth



Sink depth



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.

SMEG SPA 02/12/2025