

LYP102FR2

Sink material Stainless steel Sink type Monoblock sink

1 + 1/2No. of bowls Drainer Reversible

EAN code 8017709308193



Aesthetics



Universal **Aesthetics Building in type** Ultra-low profile Series Omni Logo Silk screen

Colour Stainless steel Half bowl cup drainer Yes

Finishing Pre-polished 2 Tapholes

Tap hole / precut tap

hole

	Bowl type	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.5	170 x 330 x 93	93	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.5	342 x 380 x 163	163	74	Yes, traditional	Side bowl	3.5"

Technical Features



Dividing wall width Frame thickness 0,5 mm 40 mm Frame depth (mm) **Drainer inclination** 1 ° 15

Dimensions of the 163x1000x500 mm Sealing paste Gasket type

product WxDxH (mm) Pre-assembled gasket Yes Cutout dimension (mm) 975 x 475 mm No. of clips 8

Cutout radius 10 mm Type of clips Standard Height from kitchen top 5 mm

SMEG SPA 20/08/2025




Base unit size

60 cm

Accessories Included

Accessories for installation

Strainer, Siphon save space with dishwasher outlet connection, Fixing clips, Pre-assembled gasket, Tap reinforcement, Blanking cap



SMEG SPA 20/08/2025



Symbols glossary



Cupboard width required for sink installation



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Sink depth



Sink depth



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.

SMEG SPA 20/08/2025



Benefit

Two bowls

Designed for versatility, the two-bowl configuration offers enhanced functionality, making kitchen tasks more efficient.

Drainer

The drainer provides a convenient space for dishes, cutlery, and kitchen utensils to dry naturally by allowing excess water to flow directly into the sink.

Tap hole

The sink offers the option of pre-cut tap holes, allowing for direct tap installation and creating a more spacious, streamlined surface.

SMEG SPA 20/08/2025