

LYP116D

| | |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type | Monoblock sink |
| No. of bowls | 2 |
| Drainer | Right |
| EAN code | 8017709251581 |



Aesthetics



| | | | |
|-----------|-----------------|----------------------------|------------|
| Aesthetic | Universale | Building in type | Standard |
| Series | Omni | Logo | Embossed |
| Colour | Stainless steel | Tap hole / precut tap hole | 1 Tap hole |
| Finishing | Pre-polished | | |

| | Bowl type RH | Bowl thickness (mm) | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow | Strainer position | Strainer dimension |
|---------|--------------|---------------------|-----------------------------|-----------------|-------------------------------|------------------|-------------------|--------------------|
| RH Bowl | Traditional | 0.6 | 330 * 370 * 150 | 150 | 90 | Yes, traditional | Side bowl | 3.5" |
| LH Bowl | Traditional | 0.6 | 330 x 370 x 150 | 150 | 90 | | Side bowl | 3.5" |

Technical Features




| | | | |
|--------------------------------|-----------------|---------------------|---------------|
| Frame thickness | 0,6 mm | Tap hole | 1 |
| Frame depth (mm) | 8 | Tap hole diameter | 35 mm |
| Dimensions of the product (mm) | 150x1160x500 mm | Dividing wall width | 40 mm |
| Cutout dimension topmount (mm) | 1140 x 480 mm | Drainer inclination | 1 ° |
| Undermount cutout radius | 10 mm | Gasket type | Sealing paste |
| | | No. of clips | 8 |
| | | Type of clips | Standard |

Height from kitchen top 8 mm
Base unit size 80 cm

Accessories Included

Accessories for installation
Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket



Not included accessories



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



3713

Siphon double bowls sinks (dishwasher connection included)



STABMIX

Tap stabiliser



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow

Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets