LYP116R

Sink material	Stainless steel
Type	Monoblock sink
No. of bowls	2
Drainer	Reversible
EAN code	8017709258955



Aesthetics

Aesthetic	Universale	**Building in type**	Standard
Colour	Stainless steel	**Logo**	Embossed
Finishing	Pre-polished	**Tap hole / precut tap hole**	No Taphole
Series	Omni		

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	330 * 370 * 150	150	90	Yes, traditional	Side bowl	3.5"
LH Bowl	Traditional	0.6	330 x 370 x 150	150	90		Side bowl	3.5"


Technical Features

Frame thickness	0,6 mm	**Tap hole diameter**	35 mm
Frame depth (mm)	8	**Dividing wall width**	40 mm
Dimensions of the product (mm)	150x1160x500 mm	**Drainer inclination**	1 °
Cutout dimension topmount (mm)	1140 x 480 mm	**Gasket type**	Sealing paste
		No. of clips	8
Undermount cutout radius	10 mm	**Type of clips**	Standard

Height from kitchen top	8 mm
Base unit size	80 cm

Accessories Included

Accessories for installation	Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket



Compatible Accessories



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.