

LYP116S

Sink material Stainless steel Monoblock sink Type

No. of bowls 2 Drainer Left

EAN code 8017709251598



Aesthetics



Universale **Aesthetic Building in type** Standard Colour Stainless steel Logo **Embossed Finishing** Pre-polished Tap hole / precut tap 1 Tap hole

hole Series Omni

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	330 * 370 * 150	157	90		Side bowl	3.5"
LH Bowl	Traditional	0.6	330 x 370 x 150	157	90	Yes, traditional	Side bowl	3.5"

Technical Features



Frame thickness 0,6 mm Tap hole 1

Frame depth (mm) Tap hole diameter 35 mm Dimensions of the 150x1160x500 mm 40 mm

Dividing wall width product (mm) **Drainer inclination** 1 °

Cutout dimension 1140 x 480 mm Gasket type Sealing paste topmount (mm)

No. of clips 8

Type of clips Standard **Undermount cutout** 10 mm

radius

SMEG SPA 29/11/2025




Height from kitchen top 8 mm Base unit size 80 cm

Accessories included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket



SMEG SPA 29/11/2025



Compatible Accessories





Siphon double bowls sinks (dishwasher connection included)

KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

RND2V



2 Bowls standard Rondò waste kit with rectangular overflow

(H-hod)

KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

STABMIX



Tap stabiliser

SMEG SPA 29/11/2025



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.

SMEG SPA 29/11/2025