

# LYP401

Sink material	Stainless steel
Type	Monoblock bowl
No. of bowls	1
EAN code	8017709284824



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Building in type</b>	Ultra-low profile
<b>Colour</b>	Stainless steel	<b>Logo</b>	Silk screen
<b>Finishing</b>	Pre-polished	<b>Tap hole / precut tap hole</b>	1 Tap hole
<b>Series</b>	Omni		

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	385 x 343 x 161	165	80	Yes, traditional	Centre of bowl	3.5"

## Technical Features




<b>Dimensions of the product (mm)</b>	161x400x500 mm	<b>Tap hole</b>	1
<b>Cutout dimension topmount (mm)</b>	480*380 mm	<b>Tap hole diameter</b>	35 mm
<b>Undermount cutout radius</b>	10 mm	<b>Gasket type</b>	Sealing paste
<b>Height from kitchen top</b>	6 mm	<b>No. of clips</b>	6
<b>Base unit size</b>	45 cm	<b>Type of clips</b>	Standard

## Accessories included

Accessories for  
installation

Strainer, Siphon with  
dishwasher outlet  
connection, Fixing clips,  
Gasket



---

## Compatible Accessories

---



**3712**

Siphon single bowl sinks (dishwasher connection included)



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND1V**

Rondò waste kit 1 bowl with standard overflow



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**STABMIX**

Tap stabiliser

---

## Symbols glossary

---



Cupboard width required for sink installation.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

---

## Benefit (TT)

---

### **One bowl**

A single bowl for greater adaptability, capacity and space optimisation

### **Tap hole**

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area