

LYP401FD

Sink material Stainless steel Monoblock bowl Type

No. of bowls

EAN code 8017709287139



Aesthetics



Universale Building in type **Aesthetic** Ultra-low profile Series Omni Logo Silk screen Colour Stainless steel Tap hole / precut tap 1 Tap hole hole

Finishing Pre-polished

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	385 x 343 x 161	165	80	Yes, traditional	Centre of bowl	3.5"

Technical Features



Dimensions of the 161x400x500 mm Tap hole 1 product (mm)

Tap hole diameter 35 mm **Cutout dimension** 480*380 mm Gasket type Sealing paste

topmount (mm) No. of clips

Undermount cutout 10 mm Type of clips Standard radius


Height from kitchen top 6 mm Base unit size 45 cm

Accessories included



Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket





Compatible Accessories





Siphon single bowl sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser



Symbols glossary



Cupboard width required for sink installation



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area