

LYP401FD

Sink material Stainless steel
Type Monoblock bowl
No. of bowls 1
EAN code 8017709287139



Aesthetics



Aesthetic Universale
Colour Stainless steel
Finishing Pre-polished
Series Omni
Building in type Ultra-low profile
Logo Silk screen
Tap hole / precut tap hole 1 Tap hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	385 x 343 x 161	165	80	Yes, traditional	Centre of bowl	3.5"

Technical Features




Dimensions of the product (mm) 161x400x500 mm
Cutout dimension topmount (mm) 480*380 mm
Undermount cutout radius 10 mm
Height from kitchen top 6 mm
Base unit size 45 cm
Tap hole 1
Tap hole diameter 35 mm
Gasket type Sealing paste
No. of clips 6
Type of clips Standard

Accessories included

Accessories for
installation

Strainer, Siphon with
dishwasher outlet
connection, Fixing clips,
Gasket



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area