

LYP401FD

Sink material	Stainless steel
Type	Monoblock bowl
No. of bowls	1
EAN code	8017709287139



Aesthetics



Aesthetic	Universale	Building in type	Ultra-low profile
Colour	Stainless steel	Logo	Silk screen
Finishing	Pre-polished	Tap hole / precut tap hole	1 Tap hole
Series	Omni		

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	385 x 343 x 161	165	80	Yes, traditional	Centre of bowl	3.5"

Technical Features




Dimensions of the product (mm)	161x400x500 mm	Tap hole	1
Cutout dimension topmount (mm)	480*380 mm	Tap hole diameter	35 mm
Undermount cutout radius	10 mm	Gasket type	Sealing paste
Height from kitchen top	6 mm	No. of clips	6
Base unit size	45 cm	Type of clips	Standard

Accessories included

**Accessories for
installation**

Strainer, Siphon with
dishwasher outlet
connection, Fixing clips,
Gasket



Compatible Accessories

**3712**

Siphon single bowl sinks (dishwasher connection included)

**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**RND1V**

Rondò waste kit 1 bowl with standard overflow

**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**STABMIX**

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area