

# LYP401FD

**Sink material** Stainless steel  
**Type** Monoblock bowl  
**No. of bowls** 1  
**EAN code** 8017709287139



## Aesthetics



**Aesthetic** Universale  
**Series** Omni  
**Colour** Stainless steel  
**Finishing** Pre-polished  
**Building in type** Ultra-low profile  
**Logo** Silk screen  
**Tap hole / precut tap hole** 1 Tap hole

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	385 x 343 x 161	165	80	Yes, traditional	Centre of bowl	3.5"

## Technical Features




**Dimensions of the product (mm)** 161x400x500 mm  
**Cutout dimension topmount (mm)** 480\*380 mm  
**Undermount cutout radius** 10 mm  
**Height from kitchen top** 6 mm  
**Base unit size** 45 cm  
**Tap hole** 1  
**Tap hole diameter** 35 mm  
**Gasket type** Sealing paste  
**No. of clips** 6  
**Type of clips** Standard

## Accessories Included

Accessories for  
installation

Strainer, Siphon with  
dishwasher outlet  
connection, Fixing clips,  
Gasket



---

## Compatible Accessories

---



**3712**

Siphon single bowl sinks (dishwasher connection included)



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**RND1V**

Rondò waste kit 1 bowl with standard overflow



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**STABMIX**

Tap stabiliser

---

## Symbols glossary

---



Cupboard width required for sink installation



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

---

## Benefit (TT)

---

### **One bowl**

A single bowl for greater adaptability, capacity and space optimisation

### **Tap hole**

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area