LYP501

Sink material	Stainless steel
Type	Monoblock bowl
No. of bowls	1
EAN code	8017709284817



Aesthetics

Aesthetic	Universale	**Building in type**	Ultra-low profile
Colour	Stainless Steel	**Logo**	Silk screen
Finishing	Pre-polished	**Tap hole / precut tap hole**	1 Tap hole
Series	Omni		


	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner bowl	Overflow	Strainer position	Strainer dimension
Bowl	Minimum radius	410 x 360 x 165	165	90	Yes, traditional	Wall position	3.5"

Technical Features

Dimensions of the product (mm)	160x500x500 mm	**Tap hole**	1
Cutout dimension topmount (mm)	480 x 480 mm	**Tap hole diameter**	35 mm
Undermount cutout radius	10 mm	**Gasket type**	Sealing paste
Height from kitchen top	6 mm	**No. of clips**	6
Base unit size	60 cm	**Type of clips**	Standard

Accessories included

Accessories for installation	Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



STABMIX

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area