

# **LYP791S**

Sink materialStainless steelTypeMonoblock sink

No. of bowls 1
Drainer Left

**EAN code** 8017709273576



## **Aesthetics**



AestheticUniversaleBuilding in typeStandardSeriesOmniLogoEmbossedColourStainless steelTap hole / precut tap1 Tap hole

Finishing Pre-polished hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	370 x 370 x 150	150	80	Yes, traditional	Side bowl	3.5"

## **Technical Features**



Frame thickness 0.6 mm Tap hole 1
Frame depth (mm) 10 Tap hole diameter 35 mm

Dimensions of the 150x790x500 mm Drainer inclination 1° product (mm) Gasket type Segli

product (mm)

Gasket type

Sealing paste

No. of clips

6

topmount (mm)

Height from kitchen top 8 mm

Type of clips Standard


Height from kitchen top 8 mm Base unit size 45 cm

### Accessories included



Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket





## **Compatible Accessories**

#### 3712



Siphon single bowl sinks (dishwasher connection included)

# [H.aued]

#### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### RND1V

Rondò waste kit 1 bowl with standard overflow



#### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### **STABMIX**

Tap stabiliser



# Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



## Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation

#### Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

#### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area