

LYP791S

Sink material Stainless steel Monoblock sink Type

No. of bowls 1 Drainer Left

EAN code 8017709273576



Aesthetics



Universale Building in type **Aesthetic** Standard Colour Stainless steel Logo **Embossed Finishing** Pre-polished Tap hole / precut tap 1 Tap hole hole

Series Omni

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	370 x 370 x 150	150	80	Yes, traditional	Side bowl	3.5"

Technical Features



Frame thickness 0,6 mm Tap hole 1 Frame depth (mm) 10 Tap hole diameter 35 mm

Dimensions of the 150x790x500 mm **Drainer inclination**

product (mm) Sealing paste Gasket type

770 x 480 mm **Cutout dimension** No. of clips

topmount (mm) Type of clips Standard

Height from kitchen top 8 mm Base unit size 45 cm


Accessories included

SMEG SPA 10/10/2025



Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket



SMEG SPA 10/10/2025



Compatible Accessories

3712



Siphon single bowl sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser

SMEG SPA 10/10/2025



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.

SMEG SPA 10/10/2025