

LYP861FR2

Sink materialStainless steelTypeMonoblock sink

No. of bowls

Drainer Reversible

EAN code 8017709305857



35 mm

Aesthetics



AestheticUniversaleBuilding in typeStandardSeriesOmniLogoEmbossedColourStainless steelTap hole / precut tap2 Tapholes

Finishing Pre-polished hole

LH Bowl Radius Strainer Bowl Bowl Strainer Bowl Overflow position dimension thickness dimensions LH, depth corner left type LH LH bowl LH bowl LH bowl LH (mm) WxDxA (mm) (mm) bowl LH Yes, Traditional 0.6 330 * 370 * 154 154 90 Side bowl 3.5" Bowl traditional

Technical Features



Base unit size

Tap hole

Frame thickness 0.6 mm Tap hole diameter
Frame depth (mm) 8 Dividing wall width

45 cm

2

Frame depth (mm) 8 Dividing wall width 40 mm Dimensions of the 154x860x500 mm Drainer inclination 2 °

product (mm) Gasket type Sealing paste

Cutout dimension 840 x 480 mm No. of clips 8

topmount (mm)

Type of clips


Standard



Accessories Included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket, Blanking cap





Not included accessories



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITSLTRND1

Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob



3712

Siphon single bowl sinks (dishwasher connection included)



STABMIX

Tap stabiliser



KITDSCOT

Soap dispencer brass finishing charging from top side



KITDS

Soap dispenser chrome finishing with round knob



KITSTR

1 Bowl automatic pop up waste kit with rectangular overflow and round knob



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.