

## LYP861FR2

|                      |                 |
|----------------------|-----------------|
| <b>Sink material</b> | Stainless steel |
| <b>Type</b>          | Monoblock sink  |
| <b>No. of bowls</b>  | 1               |
| <b>Drainer</b>       | Reversible      |
| <b>EAN code</b>      | 8017709305857   |



## Aesthetics



|                  |                 |                                   |            |
|------------------|-----------------|-----------------------------------|------------|
| <b>Aesthetic</b> | Universale      | <b>Building in type</b>           | Standard   |
| <b>Colour</b>    | Stainless steel | <b>Logo</b>                       | Embossed   |
| <b>Finishing</b> | Pre-polished    | <b>Tap hole / precut tap hole</b> | 2 Tapholes |
| <b>Series</b>    | Omni            |                                   |            |

|         | <b>Bowl type LH</b> | <b>Bowl thickness LH (mm)</b> | <b>Bowl dimensions LH, WxDxA (mm)</b> | <b>LH Bowl depth (mm)</b> | <b>Radius corner left bowl</b> | <b>Overflow LH bowl</b> | <b>Strainer position LH bowl</b> | <b>Strainer dimension LH bowl</b> |
|---------|---------------------|-------------------------------|---------------------------------------|---------------------------|--------------------------------|-------------------------|----------------------------------|-----------------------------------|
| LH Bowl | Traditional         | 0.6                           | 330 * 370 * 154                       | 154                       | 90                             | Yes, traditional        | Side bowl                        | 3.5"                              |

## Technical Features




|                                       |                |                            |               |
|---------------------------------------|----------------|----------------------------|---------------|
| <b>Frame thickness</b>                | 0,6 mm         | <b>Tap hole diameter</b>   | 35 mm         |
| <b>Frame depth (mm)</b>               | 8              | <b>Dividing wall width</b> | 40 mm         |
| <b>Dimensions of the product (mm)</b> | 154x860x500 mm | <b>Drainer inclination</b> | 2 °           |
| <b>Cutout dimension topmount (mm)</b> | 840 x 480 mm   | <b>Gasket type</b>         | Sealing paste |
| <b>Height from kitchen top</b>        | 6 mm           | <b>No. of clips</b>        | 8             |
| <b>Base unit size</b>                 | 45 cm          | <b>Type of clips</b>       | Standard      |
| <b>Tap hole</b>                       | 2              |                            |               |

## Accessories included

### Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket, Blanking cap



## Compatible Accessories

**3712**



Siphon single bowl sinks (dishwasher connection included)



**KITDSQ**

Soap dispenser chrome finishing with square knob 40x40 mm



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITSLTRND1**

Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob



**RND1V**

Rondò waste kit 1 bowl with standard overflow



**KITDS**

Soap dispenser chrome finishing with round knob



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITSTR**

1 Bowl automatic pop up waste kit with rectangular overflow and round knob



**STABMIX**

Tap stabiliser

## Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.