

LYP861R

Sink material Stainless steel Monoblock sink Type

No. of bowls

Drainer Reversible

EAN code 8017709258962



35 mm

Aesthetics



Universale **Aesthetic Building in type** Standard **Embossed** Colour Stainless steel Logo **Finishing** Pre-polished Tap hole / precut tap No Taphole

Series

hole Omni

	Bowl type LH	Bowl thickness LH (mm)	Bowl dimensions LH, WxDxA (mm)	Radius corner left bowl	Overflow LH bowl	Strainer position LH bowl	Strainer dimension LH bowl
LH Bowl	Traditional	0.6	330 * 370 * 154	90	Yes, traditional	Side bowl	3.5"

Technical Features



Frame thickness 0.6 mm Tap hole diameter Frame depth (mm) Dividing wall width

45 cm

40 mm Dimensions of the 154x860x500 mm **Drainer inclination** 2 °

product (mm)

Gasket type Sealing paste

840 x 480 mm **Cutout dimension** No. of clips topmount (mm)

Type of clips Standard Height from kitchen top 6 mm

Accessories included


Base unit size

SMEG SPA 22/11/2025



Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket



SMEG SPA 22/11/2025



Compatible Accessories





Siphon single bowl sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser

SMEG SPA 22/11/2025



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.

SMEG SPA 22/11/2025