

LYP861S

Sink materialStainless steelTypeMonoblock sink

No. of bowls 1
Drainer Left

EAN code 8017709251635



Aesthetics



AestheticUniversaleBuilding in typeStandardColourStainless steelLogoEmbossedFinishingPre-polishedTap hole / precut tap1 Tap hole

Series Omni hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	330 * 370 * 154	154	90	Yes, traditional	Side bowl	3.5"

Technical Features



Frame thickness 0,6 mm Tap hole 1

Frame depth (mm) 8 Tap hole diameter 35 mm

Dimensions of the 154x860x500 mm Dividing wall width 40 mm

product (mm) Drainer inclination 2 °

Cutout dimension 840 x 480 mm Gasket type Sealing paste

topmount (mm)

No. of clips

Undermount cutout 10 mm Type of clips Standard radius

Height from kitchen top 8 mm


Base unit size 45 cm



Accessories included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket





Compatible Accessories

3712



Siphon single bowl sinks (dishwasher connection included)

[1700]

KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.