

LYP862

Sink material Stainless steel
 Type Monoblock sink
 No. of bowls 2
 EAN code 8017709251611



Aesthetics



Aesthetic Universale
 Series Omni
 Colour Stainless steel
 Finishing Pre-polished
 Building in type Standard
 Logo Embossed
 Tap hole / precut tap hole 1 Tap hole

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.6	370 * 370 * 149	150	90	Yes, traditional	Side bowl	3.5"
LH Bowl	Traditional	0.6	370 * 370 * 149	150	90		Side bowl	3.5"

Technical Features




Frame thickness 0,6 mm
 Frame depth (mm) 8
 Dimensions of the product (mm) 150x860x500 mm
 Cutout dimension topmount (mm) 840 x 480 mm
 Undermount cutout radius 10 mm
 Tap hole 1
 Tap hole diameter 35 mm
 Dividing wall width 40 mm
 Gasket type Sealing paste
 No. of clips 8
 Type of clips Standard

Height from kitchen top 8 mm
Base unit size 90 cm

Accessories Included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips, Gasket



Compatible Accessories



3713

Siphon double bowls sinks (dishwasher connection included)



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND2V

2 Bowls standard Rondò waste kit with rectangular overflow



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser

Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets

Benefit (TT)

Two bowls

Two bowls for greater versatility and dual functionality

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area