

LZ102B

Sink material Composite
Sink type Synthetic sink
No. of bowls 1 + 1/2
Drainer Reversible
EAN code 8017709182816



Aesthetics



Aesthetics Universal
Series Rigae
Colour White
Building in type Standard

Alternative colours available Tap hole / precut tap hole

Logo

Applied/on overflow Anthracite, Cream, Beige, Copper, Cemento / Concrete

Prepared

	Bowl type	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	150 x 340 x 168	168	50		Centre of bowl	3.5"
LH Bowl	Traditional	420 x 320 x 210	210	80	Yes, traditional	Side bowl	3.5"

Technical Features

















Characteristics composite material

Strainer, Pre-assembled gasket, Siphon with dishwasher outlet connection, Siphon save space with dishwasher outlet connection, Fixing clips, Gasket, UV Resistant Tap holeYesTap hole diameter35 mmDividing wall width38 mmDrainer inclination2 °No. of clips10

Type of clips Standard

Frame depth (mm) 10



Dimensions of the 210x1000x500 mm

product WxDxH (mm)


Cutout dimension (mm) 980 X 480 mm

Cutout radius 30 mm
Height from kitchen top 10 mm
Base unit size 60 cm

Accessories Included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips





Not included accessories



KITDSQ

Soap dispenser Square knob



KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet



Symbols glossary



Antibacterial



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Termal schock resistant



Impact resistant



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



High temperatures resistant



Easy to clean



UV protection, does not fade over time.



Benefit

Two bowls

Two bowls for greater versatility and dual functionality

Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

Tap hole possibility

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area

Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition