

# **LZ102P**

Sink material Composite Composite sink Type

No. of bowls 1 + 1/2Drainer Reversible

**EAN** code 8017709182823



### **Aesthetics**



Universale **Aesthetic** Series Rigae Colour Cream Building in type Standard

Alternative colours available

Tap hole / precut tap hole

Applied/on overflow White, Anthracite, Beige, Copper, Cemento / Concrete

Prepared

|            | Bowl<br>type RH | Bowl dimensions,<br>WxDxH (mm) | Bowl<br>depth<br>(mm) | Radius corner<br>right bowl (mm) | Overflow<br>LH bowl | Strainer<br>position | Strainer<br>dimension |
|------------|-----------------|--------------------------------|-----------------------|----------------------------------|---------------------|----------------------|-----------------------|
| RH<br>Bowl | Half bowl       | 150 x 340 x 168                | 168                   | 50                               |                     | Centre of bowl       | 3.5"                  |
| LH<br>Bowl | Traditional     | 420 x 320 x 210                | 210                   | 80                               | Yes,<br>traditional | Side bowl            | 3.5"                  |

Logo

### **Technical Features**















Characteristics

Antibacterial, Anti-scratch, composite material Termal schock resistant, High temperatures

Frame depth (mm)

Dimensions of the product (mm)

resistant, Impact resistant, Easy to clean, UV Resistant

210x1000x500 mm

Tap hole 2

Tap hole diameter 35 mm Dividing wall width 38 mm **Drainer inclination** 2 ° No. of clips 10

Type of clips Standard

**SMEG SPA** 18/4/2024



Cutout dimension topmount (mm)

980 X 480 mm

Undermount cutout

30 mm


radius

Height from kitchen top 10 mm Base unit size 60 cm

## **Accessories Included**

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 18/4/2024



## Not included accessories



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet





Soap dispenser chrome finishing with square knob 40x40 mm



#### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

SMEG SPA 18/4/2024



# Symbols glossary (TT)



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Sink depth - depending on the model, the depth can be from 13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Antibacterial



Antiscratch



Termal schock resistant



High temperatures resistant



Impact resistant



Easy to clean



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.



UV protection, does not fade over time.

SMEG SPA 18/4/2024