

LZ116AV2

Sink material Composite Type Composite sink

No. of bowls 2

Drainer Reversible

EAN code 8017709274573



Aesthetics



Universale **Aesthetic** Logo Applied/on overflow

White, Anthracite, Cream, Colour Oats Alternative colours available Copper, Cemento / Concrete Series Rigae

Tap hole / precut tap Building in type Standard

hole

Prepared

	Bowl type RH	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	330 x 420 x 210	210	80	Yes, traditional	Side bowl	3.5"
LH Bowl	Traditional	330 x 420 x 210	210	80		Side bowl	3.5"

Technical Features

















Characteristics composite material Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant, Impact resistant, UV

Resistant

Frame depth (mm) 10 Tap hole 2

Tap hole diameter 35 mm Dividing wall width 38 mm **Drainer inclination** 2 ° No. of clips 12

Type of clips Standard



Dimensions of the

210x1160x500 mm

product (mm)

Cutout dimension

1140 X 480 mm

topmount (mm)

1140 X 400 IIII

Undermount cutout radius

30 mm

Height from kitchen top

10 mm


Base unit size

80 cm

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Compatible Accessories



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Alternative products

LZ116A2

Colour: Black

®

LZ116CT

Colour: Cement / Concrete



LZ116B

Colour: White



LZ116P

Colour: Cream





Symbols glossary



Antibacterial



Cupboard width required for sink installation.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



High temperatures resistant



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.



UV protection, does not fade over time.



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Easy to clean



Impact resistant



Termal schock resistant