

# LZ150A2

Sink material Composite Composite sink Type

No. of bowls 1

Drainer Reversible

**EAN** code 8017709274603



## **Aesthetics**



**Aesthetic** Universale Applied/on overflow Logo Series Rigae Alternative colours White, Cream, Beige, available Cemento / Concrete Colour Anthracite

Tap hole / precut tap Prepared Building in type Standard

hole

	Bowl type LH	Bowl dimensions LH, WxDxA (mm)	LH Bowl depth (mm)	Radius corner left bowl	Overflow LH bowl	Strainer position LH bowl	Strainer dimension LH bowl
LH Bowl	Traditional	420 x 480 x 210	210	80	Yes, traditional	Side bowl	3.5"

## **Technical Features**















Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant, Impact resistant, UV

Resistant

Frame depth (mm) Dimensions of the product (mm)

10

210x1000x500 mm

**Cutout dimension** topmount (mm)

980 X 480 mm

Base unit size 60 cm Tap hole 2 Tap hole diameter 35 mm **Drainer inclination** 2 ° No. of clips 10 Type of clips Standard

**SMEG SPA** 26/7/2025



Undermount cutout

30 mm

radius


Height from kitchen top

10 mm

## Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 26/7/2025



# **Compatible Accessories**

### COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

#### KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



#### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

26/7/2025 **SMEG SPA** 



# Symbols glossary



Antibacterial



Cupboard width required for sink installation



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



High temperatures resistant



Easy to clean



UV protection, does not fade over time.



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5



Termal schock resistant



Impact resistant



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.

SMEG SPA 26/7/2025



## Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation

#### Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

#### Double tap hole

The sink is easily reversible, making it possible to create any type of kitchen composition

### Tap hole possibility

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area

SMEG SPA 26/7/2025