

LZ150AV2

Sink material Composite Composite sink Type

No. of bowls 1

Drainer Reversible

EAN code 8017709274580



Aesthetics



Aesthetic Universale Applied/on overflow Logo Colour Oats Alternative colours White, Anthracite, Cream, available Cemento / Concrete

Series Rigae

Tap hole / precut tap Prepared Building in type Standard

hole

	Bowl type LH	Bowl dimensions LH, WxDxA (mm)	LH Bowl depth (mm)	Radius corner left bowl	Overflow LH bowl	Strainer position LH bowl	Strainer dimension LH bowl
LH Bowl	Traditional	420 x 480 x 210	210	80	Yes, traditional	Side bowl	3.5"

Technical Features













Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant, Impact resistant, UV

Resistant

10

Frame depth (mm)

Dimensions of the product (mm)

210x1000x500 mm

Cutout dimension topmount (mm)

980 X 480 mm

Base unit size 60 cm Tap hole 2 Tap hole diameter 35 mm **Drainer inclination** 2 ° No. of clips 10 Type of clips Standard



Undermount cutout

30 mm

radius


Height from kitchen top

10 mm

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Compatible Accessories

COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



[Travel]

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Alternative products

LZ150CT

Colour: Cement / Concrete

LZ150B

Colour: White



LZ150P

Colour: Cream



LZ150A2

Colour: Anthracite





Symbols glossary



Antibacterial



Cupboard width required for sink installation.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



High temperatures resistant



Easy to clean



UV protection, does not fade over time.



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Termal schock resistant



Impact resistant



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.