

LZ150CT

Sink material Composite
Type Composite sink

No. of bowls 1

Drainer Reversible

EAN code 8017709274627



Aesthetics



Aesthetic Universale Logo Applied/on overflow

Colour Cement / Concrete Alternative colours White, Anthracite, Cream,

Series Rigae available Beige
Building in type Standard Tap hole / precut tap Prepared

hole

LH Bowl Radius Strainer Strainer **Bowl dimensions** Overflow Bowl corner left position LH dimension LH depth LH bowl type LH LH, WxDxA (mm) (mm) bowl bowl bowl LH Yes, **Traditional** 420 x 480 x 210 210 80 Side bowl 3.5" Bowl traditional

Technical Features















Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant, Impact resistant, UV

Resistant

Frame depth (mm)
Dimensions of the
product (mm)
Cutout dimension

topmount (mm)

10

210x1000x500 mm

980 X 480 mm

Base unit size 60 cm
Tap hole 2
Tap hole diameter 35 mm
Drainer inclination 2°
No. of clips 10
Type of clips Standard



Undermount cutout

30 mm

radius


Height from kitchen top

10 mm

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Compatible Accessories

COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

bowls, measures 370 x 410 x 30 mm KITFD050



KITFD100

waste outlet



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

Waste disposal 0,5 HP, Motor: 1/2

horsepower, Fits all sinks with 3 1/2"



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Alternative products

LZ150AV2

Colour: Oats

LZ150B

Colour: White

LZ150P

Colour: Cream



LZ150A2

Colour: Anthracite





Symbols glossary



Antibacterial



Cupboard width required for sink installation.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



High temperatures resistant



Easy to clean



UV protection, does not fade over time.



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Termal schock resistant



Impact resistant



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.