

LZ861CT

Sink material Composite Type Composite sink

No. of bowls 1

Drainer Reversible

EAN code 8017709251734



Aesthetics



Aesthetic Universale Applied/on overflow Logo

Colour Cement / Concrete Alternative colours White, Anthracite, Cream, available

Beige, Copper Series Rigae Tap hole / precut tap Prepared Building in type Standard

hole

45 cm

35 mm

Standard

2

2 °

	Bowl type LH	Bowl dimensions LH, WxDxA (mm)	LH Bowl depth (mm)	Radius corner left bowl	Overflow LH bowl	Strainer position LH bowl	Strainer dimension LH bowl
LH Bowl	Traditional	330 x 420 x 210	210	80	Yes, traditional	Side bowl	3.5"

Base unit size

Tap hole diameter

Drainer inclination

Tap hole

No. of clips

Type of clips

Technical Features















Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant, Impact resistant, UV

Resistant

Frame depth (mm) 10

Dimensions of the product (mm)

210x860x500 mm



Cutout dimension topmount (mm)

840 X 480 mm

Undermount cutout radius

30 mm


Height from kitchen top

10 mm

Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips





Compatible Accessories



KITDSQ

Soap dispenser chrome finishing with square knob 40x40 mm



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



Alternative products

LZ861AV2

Colour: Oats

LZ861P



LZ861A2

Colour: Anthracite

LZ861B





Symbols glossary



Antibacterial



Cupboard width required for sink installation.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



High temperatures resistant



Easy to clean



UV protection, does not fade over time.



Antiscratch



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Termal schock resistant



Impact resistant



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.