

# **LZ861CT**

Sink material Composite Composite sink Type

No. of bowls 1

Drainer Reversible

**EAN** code 8017709251734



### **Aesthetics**



**Aesthetic** Universale Applied/on overflow Logo Series Rigae Alternative colours White, Anthracite, Cream,

available Beige, Copper Colour Cement / Concrete

Tap hole / precut tap Prepared Building in type Standard

hole

	Bowl type LH	Bowl dimensions LH, WxDxA (mm)	LH Bowl depth (mm)	Radius corner left bowl	Overflow LH bowl	Strainer position LH bowl	Strainer dimension LH bowl
LH Bowl	Traditional	330 x 420 x 210	210	80	Yes, traditional	Side bowl	3.5"

### **Technical Features**















Characteristics composite material

Antibacterial, Anti-scratch, Termal schock resistant, High temperatures

resistant, Impact resistant, Easy to clean, UV Resistant

Frame depth (mm) 10 Base unit size 45 cm Tap hole 2 Tap hole diameter 35 mm **Drainer inclination** 2° No. of clips Type of clips Standard

Dimensions of the product (mm) **Cutout dimension** 

topmount (mm)

210x860x500 mm

840 X 480 mm

**SMEG SPA** 6/5/2024



 ${\bf Undermount}\ {\bf cutout}$ 

30 mm

radius


Height from kitchen top

10 mm

### **Accessories Included**

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



SMEG SPA 6/5/2024



### Not included accessories



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



#### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet





Soap dispenser chrome finishing with square knob 40x40 mm



#### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

SMEG SPA 6/5/2024



## Symbols glossary (TT)



Cupboard width required for sink installation



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Antiscratch



High temperatures resistant



Easy to clean



UV protection, does not fade over time.



Sink depth - depending on the model, the depth can be from 13 to 24.5



**Antibacterial** 



Termal schock resistant



Impact resistant



Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition.

SMEG SPA 6/5/2024