

## LZ861P

|                      |                |
|----------------------|----------------|
| <b>Sink material</b> | Composite      |
| <b>Type</b>          | Composite sink |
| <b>No. of bowls</b>  | 1              |
| <b>Drainer</b>       | Reversible     |
| <b>EAN code</b>      | 8017709183172  |



## Aesthetics



|                         |            |                                      |  |
|-------------------------|------------|--------------------------------------|--|
| <b>Aesthetic</b>        | Universale | <b>Logo</b>                          | Applied/on overflow                                  |
| <b>Colour</b>           | Cream      | <b>Alternative colours available</b> | White, Anthracite, Beige, Copper, Cemento / Concrete |
| <b>Series</b>           | Rigae      | <b>Tap hole / precut tap hole</b>    | Prepared   |
| <b>Building in type</b> | Standard   |                                      |  |

|         | <b>Bowl type LH</b> | <b>Bowl dimensions LH, WxDxA (mm)</b> | <b>LH Bowl depth (mm)</b> | <b>Radius corner left bowl</b> | <b>Overflow LH bowl</b> | <b>Strainer position LH bowl</b> | <b>Strainer dimension LH bowl</b> |
|---------|---------------------|---------------------------------------|---------------------------|--------------------------------|-------------------------|----------------------------------|-----------------------------------|
| LH Bowl | Traditional         | 330 x 420 x 210                       | 210                       | 80                             | Yes, traditional        | Side bowl                        | 3.5"                              |

## Technical Features



|   |  |  |          |
|---|--|--|----------|
| <b>Characteristics composite material</b> | Antibacterial, Easy to clean, Anti-scratch, Termal schock resistant, High temperatures resistant, Impact resistant, UV Resistant | <b>Tap hole</b>                              | 2        |
|   |  | <b>Tap hole diameter</b>                     | 35 mm    |
|   |  | <b>Drainer inclination</b>                   | 2 °      |
|   |  | <b>No. of clips</b>                          | 8        |
|   |  | <b>Type of clips</b>                         | Standard |
| <b>Frame depth (mm)</b>                   | 10   | <b>Possibility to install waste disposal</b> | Yes      |
| <b>Dimensions of the product (mm)</b>     | 210x860x500 mm   |  |          |


---

|   |              |
|---|--------------|
| <b>Cutout dimension<br/>topmount (mm)</b> | 840 X 480 mm |
| <b>Undermount cutout<br/>radius</b>       | 30 mm        |
| <b>Height from kitchen top</b>            | 10 mm        |
| <b>Base unit size</b>                     | 45 cm        |

## Accessories included

---

|   |  |
|---|--|
| <b>Accessories for<br/>installation</b> | Strainer, Savespace siphon<br>with dishwasher outlet<br>connection, Fixing clips |
|---|--|



## Compatible Accessories

### KITDSQ



Soap dispenser chrome finishing with square knob 40x40 mm



### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Alternative products

---

**LZ861AV2**



Colour: Oats

**LZ861A2**



Colour: Anthracite

**LZ861CT**



Colour: Cement / Concrete

**LZ861B**



Colour: White

## Symbols glossary

|  |   |   |  |
|--|---|---|--|
|  | Antibacterial   |  | Antiscratch  |
|  | Cupboard width required for sink installation.  |  | Sink depth - depending on the model, the depth can be from 13 to 24,5. |
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.   |  | Easy to clean  |
|  | High temperatures resistant   |  | Impact resistant   |
|  | Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition. |  | Termal schock resistant  |
|  | UV protection, does not fade over time.   |   |  |