

MAF50BL



Product Family Taps
Material Brass
Swivelling spout Yes
Swivelling spout rotation 360 °



Aesthetics

Aesthetics 50's Style
Colour Black
Spout type J spout

Tap type Single lever filtered water

Finishing Gloss

Handle for filtered water supply Filter included

Filter included Si Jet type Si

Jet type Single jet

Aerator Yes with double flow for

Yes

filtered water

Flexible hoses number

Technical Features

Flexible hoses lenght 650 mm Flexible hoses 3/8 " connection

Maximum pressure 5 bar
Minimum pressure 0,5 bar
Optimal pressure 3 bar
Ceramic disc cartridge 25 Ø

type

Tap hole diameter 35 mm

Filtered water cartridge On-off

type

Water depuration filter

Water depuration filter

type

Filtration

ter Activated carbon

Yes

Cloro, sedimenti, protozoi e

cisti, composti organici

volatili


Filtration degree 0.5 micron

Inlet temperature 4.4 - 38 °C

Logistic Information

Product Height (mm) 450 mm







Compatible Accessories



KITMAF

Under-sink water filter for supplying cold filtered water from the tap. For MAF50BL, MAF50CR, MAF50WH, MAFD1CR, MAFD1MN



Alternative products



MAF50CR

Colour: Cream



MAF50WH

Colour: White



Symbols glossary



Swivel spout rotation 360°