MAF50CR

Product family	Taps
Material	Brass
Swivelling spout	Yes
Swivelling spout rotation	360 °



Aesthetics


Aesthetic	50's Style
Colour	Cream
Spout type	J spout
Tap type	Double lever filtered water
Finishing	Glossy
Handle for filtered water supply	Yes
Filter included	Si
Jet type	Single jet
Aerator	Yes with double flow for filtered water
Flexible hoses number	3

Technical Features

Flexible hoses lenght	650 mm
Flexible hoses connection	3/8 "
Maximum pressure	5 bar
Minimum pressure	0,5 bar
Optimal pressure	3 bar
Ceramic disc cartridge type	25 Ø
Tap hole diameter	35 mm
Filtered water cartridge type	On-off
Water depuration filter	Yes
Water depuration filter type	Activated carbon
Filtration	Cloro, sedimenti, protozoi e cisti, composti organici volatili
Filtration degree	0.5 micron
Inlet temperature	4.4 - 38 °C

Logistic Information

Product height (mm)	450 mm


251
93
57
69
Ø24
8°
216
25°
100°
325
65
235
450
151
Ø48
146
170
223
236
Ø48
max. 50
Ø35
G3/8"
514
414
G3/8"
NOT SUPPLIED
¼" (Ø6.35) pipe
L=1500
360°

Compatible Accessories



KITMAF

Replacement water filter under-sink for supplying cold filtered water from the tap. Compatible with MAF50BL, MAF50CR, MAF50WH, MAFD1CR, MAFD1MN

Alternative products



MAF50BL

Colour: Black



MAF50WH

Colour: White

Symbols glossary



Swivel spout rotation 360°