MAF50WH

Product Family	Taps
Material	Brass
Swivelling spout	Yes
Swivelling spout rotation	360 °



Aesthetics


Aesthetics	50's Style
Colour	White
Spout type	J spout
Tap type	Single lever filtered water
Finishing	Gloss
Handle for filtered water supply	Yes
Filter included	Si
Jet type	Single jet
Aerator	Yes with double flow for filtered water
Flexible hoses number	3

Technical Features

Flexible hoses lenght	650 mm
Flexible hoses connection	3/8 "
Maximum pressure	5 bar
Minimum pressure	0,5 bar
Optimal pressure	3 bar
Ceramic disc cartridge type	25 Ø
Tap hole diameter	35 mm
Filtered water cartridge type	On-off
Water depuration filter	Yes, filter cartridge included
Water depuration filter type	Activated carbon
Filtration	Cloro, sedimenti, protozoi e cisti, composti organici volatili
Filtration degree	0.5 micron
Inlet temperature	4.4 - 38 °C

Logistic Information

Product Height (mm)	450 mm


251
93
57
69
Ø24
8°
216
25°
100°
325
65
235
450
151
Ø48
146
170
223
236
Ø48
max. 50
Ø35
514
G3/8"
414
G3/8"
NOT SUPPLIED
¼" (Ø6.35) pipe
L=1500
360°

Compatible Accessories



KITMAF

Under-sink water filter for supplying cold filtered water from the tap. For MAF50BL, MAF50CR, MAF50WH, MAFD1CR, MAFD1MN

Alternative products



MAF50CR

Colour: Cream



MAF50BL

Colour: Black

Symbols glossary



Swivel spout rotation 360°