MAFD1CR



Familia	Grifo
Material	Latón
Caño giratorio	Sí
Rotación caño giratorio	360 °

Estética


Estética	Universal
Color	Cromo
Spout type	Caño tipo L
Tipo de grifo	Mono mando con filtro de agua
Acabado	Brillante
Caño salida agua filtrada	Sí
Filter included	Si
Perforado / predispuesto para la perforación	Extraíble
Jet type	Chorro simple
Aireador	Sí, con doble flujo para agua filtrada
Número de mangueras flexibles	5

Características técnicas

Longitud mangueras flexibles	470 mm
Conexión de mangueras flexibles.	3/8 "
Presión máxima	5 bar
Presión mínima	0,5 bar
Presión óptima	3 bar
Water production (l/min)	6 l/min
Tipo de cartucho	35 Ø
Diámetro del orificio del grifo	35 mm
Tipo de grifo	Sí
Filtro depuración agua	Sí
Tipo de filtro de depuración de agua	Carbón activado
Filtración	Cloro, sedimenti, protozoi e cisti, composti organici volatili
Grado de filtración	0.5 micron
Inlet temperature	4.4 - 38 °C

Datos logísticos

Altura del producto (mm)	299 mm



Accesorios Compatible



KITMAF

Replacement water filter under-sink for supplying cold filtered water from the tap. Compatible with MAF50BL, MAF50CR, MAF50WH, MAFD1CR, MAFD1MN

Productos alternativos



MAFD1MN

Color: Negro

Symbols glossary



Swivel spout rotation 360°



The extractable handshower allows to increase the range of action of the tap and it is extremely versatile, practical and comfortable.