

MDF50CR



Product familie	Kranen
Materiaal	Messing
Draaibare uitloop	Ja
Rotatie draaibare uitloop	360 °



Design



Design	50's Style	Sproeier	Flexibele sproeier
Kleur	Crème	Jet type	Single jet
Afwerking	Chroom	Aerator	Ja
Spout type	Spring spout	Aantal flexibele slangen	2
Type kraan	Semi-professionele enkele hendel		


Technische specificaties



Eigenschappen	ESC	Minimum druk	0,5 bar
Lengte flexibele slang	450 mm	Optimale druk	3 bar
Aansluiting flexibele slangen	3/8 "	Water production (l/min)	8,3 l
Type cartouche met keramische schijven	25 Ø	Diameter kraangat	35 mm
Maximum druk	5 bar		

Logistieke informatie

Hoogte product (mm)	482 mm
---------------------	--------



Alternative products



MDF50WH

Kleur: Wit



MDF50SS

Kleur: Chrom



MDF50BL

Kleur: Zwart



MDF50RD

Kleur: Rood



MDF50PG

Kleur: Pastelgroen



MDF50PB

Kleur: Pastelblauw

Symbols glossary



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



Swivel spout rotation 360°



The mobile hand shower of the Semi-Professional taps with high spout allows you to easily reach every point of the sink.

Benefit (TT)

Mobile shower semi-professional

Practical mobile shower to easily reach every point of the sink

The mobile shower of the semi-professional taps with high spout allows you to easily reach every point of the sink for more practical and comfortable use, as well as easier cleaning

Energy Saving Cartridge

Energy saving thanks to the special Energy Saving Cartridge (ESC) function

With the ESC function, the tap lever set in a central position supplies only cold water, instead of mixed cold and hot water as usual, saving in energy consumption. For hot water, the lever must be turned to the left

Spout rotation 360°