

MDF50PB

300	
Product family	Taps
Material	Brass
Swivelling spout	Yes
Swivelling spout rotation	360 °



Aesthetics

Ω

Aesthetic	50's Style	Handshower	Mobile semi-professional
Colour	Pastel blue	Jet type	Single jet
Finishing	Chrome	Aerator	Yes
Spout type	Spring spout	Flexible hoses number	2
Tap type	Semi-professional single lever		

Technical Features

ESC			
Characteristics	ESC	Minimum pressure	0,5 bar
Flexible hoses lenght	450 mm	Optimal pressure	3 bar
Flexible hoses	3/8 "	Water production (I/min)	8,3 I
connection		Tap hole diameter	35 mm
Ceramic disc cartridge	25 Ø		
type			
Maximum pressure	5 bar		

Logistic Information

Product height (mm) 482 mm

SMEG SPA







Alternative products





Symbols glossary

ESC

ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



The mobile hand shower of the Semi-Professional taps with high spout allows you to easily reach every point of the sink.

Swivel spout rotation 360°

360°



Benefit (TT)

Mobile shower semi-professional

Practical mobile shower to easily reach every point of the sink

The mobile shower of the semi-professional taps with high spout allows you to easily reach every point of the sink for more practical and comfortable use, as well as easier cleaning

Energy Saving Cartridge

Energy saving thanks to the special Energy Saving Cartridge (ESC) function

With the ESC function, the tap lever set in a central position supplies only cold water, instead of mixed cold and hot water as usual, saving in energy consumption. For hot water, the lever must be turned to the left

Spout rotation 360°