

MDF50PG



Product familie	Kranen
Materiaal	Messing
Draaibare uitloop	Ja
Rotatie draaibare uitloop	360 °



Design



Design	50's Style	Sproeier	Flexibele sproeier
Kleur	Pastelgroen	Jet type	Single jet
Spout type	Spring spout	Aerator	Ja
Type kraan	Semi-professionele enkele hendel	Aantal flexibele slangen	2
Afwerking	Chroom		

Technische specificaties



Eigenschappen	ESC	Optimale druk	3 bar
Lengte flexibele slang	450 mm	Water production (l/min)	8,3 l
Aansluiting flexibele slangen	3/8 "	Type cartouche met keramische schijven	25 Ø
Maximum druk	5 bar	Diameter kraangat	35 mm
Minimum druk	0,5 bar		

Logistieke informatie

Hoogte product (mm)	482 mm
---------------------	--------



Alternative products



MDF50WH

Kleur: Wit



MDF50SS

Kleur: Chrom



MDF50BL

Kleur: Zwart



MDF50RD

Kleur: Rood



MDF50PB

Kleur: Pastelblauw



MDF50CR

Kleur: Crème

Symbols glossary



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



Swivel spout rotation 360°



The mobile hand shower of the Semi-Professional taps with high spout allows you to easily reach every point of the sink.