

MDF50SS



Product Family Taps Material **Brass** Swivelling spout Yes **Swivelling spout rotation** 360°



Aesthetics



Aesthetics 50's Style Handshower Detachable Colour Chrome Jet type Single jet Spout type Spring spout Aerator Yes Semi-professional single Tap type

lever

Finishing Chrome

Flexible hoses number

Technical Features



Characteristics **ESC** Optimal pressure 3 bar Flexible hoses lenght 450 mm Water production (I/min) 8,3 l Flexible hoses 3/8 " Ceramic disc cartridge 25 Ø connection type

0,5 bar

Maximum pressure 5 bar Tap hole diameter 35 mm


Logistic Information

Minimum pressure

Product Height (mm) 482 mm

SMEG SPA 17/12/2025





SMEG SPA 17/12/2025



Alternative products



MDF50WH

Colour: White



MDF50RD

Colour: Red



MDF50PB

Colour: Pastel Blue



MDF50BL

Colour: Black



MDF50PG

Colour: Pastel Green



MDF50CR

Colour: Cream

SMEG SPA 17/12/2025



Symbols glossary



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of cold. To obtain hot water, turn the lever further to the left. Thus the use does not operate the boiler.



Swivel spout rotation 360°



The mobile hand shower of the Semi-Professional taps with high spout allows you to easily reach every point of the sink.

SMEG SPA 17/12/2025