

MDF50SSSA



| | |
|---------------------------|-----------|
| Product family | Taps |
| Material | DZR brass |
| Swivelling spout | Yes |
| Swivelling spout rotation | 360 ° |



Aesthetics



| | | | |
|------------|--------------------------------|-----------------------|--------------------------|
| Aesthetic | 50's Style | Handshower | Mobile semi-professional |
| Colour | Chrome | Jet type | Single jet |
| Spout type | Spring spout | Aerator | Yes |
| Tap type | Semi-professional single lever | Flexible hoses number | 2 |
| Finishing | Chrome | | |


Technical Features



| | | | |
|---------------------------|---------|-----------------------------|-------|
| Characteristics | ESC | Optimal pressure | 3 bar |
| Flexible hoses lenght | 450 mm | Water production (l/min) | 8,3 l |
| Flexible hoses connection | 3/8 " | Ceramic disc cartridge type | 25 Ø |
| Maximum pressure | 5 bar | Tap hole diameter | 35 mm |
| Minimum pressure | 0,5 bar | | |

Logistic Information

| | |
|---------------------|--------|
| Product height (mm) | 482 mm |
|---------------------|--------|



Symbols glossary



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



Swivel spout rotation 360°



The mobile hand shower of the Semi-Professional taps with high spout allows you to easily reach every point of the sink.