

## MID1CR



Product Family	Taps
Material	Brass
Swivelling spout	Yes
Swivelling spout rotation	180 °



## Aesthetics



Aesthetics	Universal	Handshower	Pull-out spray
Colour	Chrome	Jet type	Single jet
Spout type	L spout	Aerator	Yes
Tap type	Single lever	Flexible hoses number	2
Finishing	Gloss		

## Technical Features



Characteristics	ESC, WSC	Optimal pressure	3 bar
Flexible hoses lenght	400 mm	Water production (l/min)	12 l
Flexible hoses connection	3/8 "	Ceramic disc cartridge type	35 Ø
Maximum pressure	5 bar	Tap hole diameter	35 mm
Minimum pressure	1 bar	Tap type	Yes

## Logistic Information

Product Height (mm)	325 mm
---------------------	--------



## Compatible Accessories

---



STABMIX

Tap brace

---

## Alternative products

---



**MID1MN**  
Colour: Black



**MID1NS**  
Colour: Nickel

---

## Symbols glossary

---



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of cold. To obtain hot water, turn the lever further to the left. Thus the use does not operate the boiler.



The extractable handshower allows to increase the range of action of the tap and it is extremely versatile, practical and comfortable.



WSC: with the WSC Water Saving Cartridge the control lever stops halfway, causing 50% of the water (sufficient for normal cooking activities) to be dispensed from the mixer to save water consumption.



Swivel spout rotation 180°