

## MID1CR



Product Family	Taps
Material	Brass
Swivelling spout	Yes
Swivelling spout rotation	180 °



## Aesthetics



Aesthetics	Universal	Handshower	Extractable
Colour	Chrome	Jet type	Single jet
Finishing	Gloss	Aerator	Yes
Spout type	L spout	Flexible hoses number	2
Tap type	Single lever		


## Technical Features



Characteristics	ESC, WSC	Maximum pressure	5 bar
Flexible hoses lenght	400 mm	Minimum pressure	1 bar
Flexible hoses connection	3/8 "	Optimal pressure	3 bar
Ceramic disc cartridge type	35 Ø	Water production (l/min)	12 l
Tap type	Yes	Tap hole diameter	35 mm

## Logistic Information

Product Height (mm)	325 mm
---------------------	--------



## Not included accessories





---



**STABMIX**  
Tap brace

## Symbols glossary

---

- |   |  |
|---|--|
|  <p>ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of cold. To obtain hot water, turn the lever further to the left. Thus the use does not operate the boiler.</p> |  <p>WSC: with the WSC Water Saving Cartridge the control lever stops halfway, causing 50% of the water (sufficient for normal cooking activities) to be dispensed from the mixer to save water consumption.</p> |
|  <p>Swivel spout rotation 180°</p>  |  <p>The extractable handshower allows to increase the range of action of the tap and it is extremely versatile, practical and comfortable.</p>  |