

## MID1NS



Product family	Taps
Material	Brass
Swivelling spout	Yes
Swivelling spout rotation	180 °



## Aesthetics



Aesthetic	Universale	Handshower	Extractable
Colour	Nickel	Jet type	Single jet
Finishing	Satin	Aerator	Yes
Spout type	L spout	Flexible hoses number	2
Tap type	Single lever		


## Technical Features



Characteristics	ESC, WSC	Optimal pressure	3 bar
Flexible hoses lenght	400 mm	Ceramic disc cartridge type	35 Ø
Flexible hoses connection	3/8 "	Tap hole diameter	35 mm
Maximum pressure	5 bar	Non-return valve	Yes
Minimum pressure	1 bar		

## Logistic Information

Product height (mm)	325 mm
---------------------	--------



---

## Compatible Accessories

---



**STABMIX**  
Tap stabiliser

---

## Symbols glossary

---



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



WSC: with the WSC Water Saving Cartridge the control lever stops halfway, causing 50% of the water (sufficient for normal cooking activities) to be di



Swivel spout rotation 180°



The extractable handshower allows to increase the range of action of the tap and it is extremely versatile, practical and comfortable.