

## MID2MN



Product Family	Taps
Material	Brass
Swivelling spout	Yes
Swivelling spout rotation	180 °



## Aesthetics



Aesthetics	Universal	Handshower	Pull-out spray
Colour	Black	Jet type	Single jet
Spout type	J spout	Aerator	Yes
Tap type	Single lever	Flexible hoses number	2
Finishing	Matte		


## Technical Features



Characteristics	ESC, WSC	Optimal pressure	3 bar
Flexible hoses lenght	400 mm	Ceramic disc cartridge type	35 Ø
Flexible hoses connection	3/8 "	Tap hole diameter	35 mm
Maximum pressure	5 bar	Tap type	Yes
Minimum pressure	1 bar		

## Logistic Information

Product Height (mm)	448 mm
---------------------	--------



---

## Compatible Accessories

---



**STABMIX**  
Tap brace

---

## Alternative products

---







**MID2CR**

**Colour: Chrome**

---

## Symbols glossary

---

- |  |   |
|--|---|
|  ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of cold. To obtain hot water, turn the lever further to the left. Thus the use does not operate the boiler. |  WSC: with the WSC Water Saving Cartridge the control lever stops halfway, causing 50% of the water (sufficient for normal cooking activities) to be dispensed from the mixer to save water consumption. |
|  Swivel spout rotation 180°  |  The extractable handshower allows to increase the range of action of the tap and it is extremely versatile, practical and comfortable.  |