

MIDR7RA-2



Product family Taps
Material Brass
Swivelling spout Yes
Swivelling spout rotation 180 °



Aesthetics





Aesthetic Coloniale
Colour Copper
Finishing Copper
Spout type Spring spout

Tap type Semi-professional single

lever

35 Ø

Handshower Mobile semi-professional

Jet type Double jets

Aerator Yes Flexible hoses number 2

Technical Features





Characteristics ESC, WSC
Flexible hoses lenght 500 mm
Flexible hoses 3/8 "
connection

Ceramic disc cartridge

type


Maximum pressure 5 bar

Minimum pressure 1 bar
Optimal pressure 3 bar
Water production (I/min) 12 I
Tap hole diameter 35 mm

Logistic Information

Product height (mm) 550 mm







Compatible Accessories



STABMIX

Tap stabiliser



Symbols glossary



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



WSC: with the WSC Water Saving Cartridge the control lever stops halfway, causing 50% of the water (sufficient for normal cooking activities) to be di



Swivel spout rotation 180°



Double jet handshower. It is possible to simply switch between a standard stream mode and a spray mode.



The mobile hand shower of the Semi-Professional taps with high spout allows you to easily reach every point of the sink.



Benefit (TT)

Mobile shower semi-professional

Practical mobile shower to easily reach every point of the sink

The mobile shower of the semi-professional taps with high spout allows you to easily reach every point of the sink for more practical and comfortable use, as well as easier cleaning

Energy Saving Cartridge

Energy saving thanks to the special Energy Saving Cartridge (ESC) function

With the ESC function, the tap lever set in a central position supplies only cold water, instead of mixed cold and hot water as usual, saving in energy consumption. For hot water, the lever must be turned to the left

Water Saving Cartridge

Water consumption can be reduced thanks to the special Water Saving Cartridge (WSC) function

With the WSC function, the tap lever stops first halfway, providing only 50% of the normal water flow, reducing water consumption. It is possible to deliver 100% water flow by completely opening the tap lever

Spout rotation 180°

Double jet

Double jet shower to meet different needs in the kitchen

The double jet shower offers the possibility of simply switching between standard and spray modes for greater convenience and versatility