

MIR6CR-2



| | |
|---------------------------|-------|
| Product family | Taps |
| Material | Brass |
| Swivelling spout | Yes |
| Swivelling spout rotation | 360 ° |



Aesthetics

| | | | |
|------------|--------------|-----------------------|------------|
| Aesthetic | Coloniale | Finishing | Glossy |
| Colour | Chrome | Jet type | Single jet |
| Spout type | L spout | Aerator | Yes |
| Tap type | Single lever | Flexible hoses number | 2 |


Technical Features



| | | | |
|---------------------------|--------|-----------------------------|-------|
| Characteristics | ESC | Optimal pressure | 3 bar |
| Flexible hoses lenght | 370 mm | Water production (l/min) | 12 l |
| Flexible hoses connection | 3/8 " | Ceramic disc cartridge type | 35 Ø |
| Maximum pressure | 5 bar | Tap hole diameter | 35 mm |
| Minimum pressure | 1 bar | | |

Logistic Information

| | |
|---------------------|--------|
| Product height (mm) | 299 mm |
|---------------------|--------|



Compatible Accessories



STABMIX
Tap stabiliser

Alternative products



MIR6RA-2

Colour: Copper



MIR6O-2

Colour: Brass



MIR6NS-1

Colour: Nickel

Symbols glossary



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



Swivel spout rotation 360°