

# MTE30



<b>Installation</b>	Free Standing
<b>Category</b>	One Door
<b>Cooling type</b>	Static
<b>Defrost</b>	Automatic
<b>Technology type</b>	Thermoelectric
<b>Hinge type</b>	Standard
<b>Hinge position</b>	Right
<b>Reversible door</b>	Yes
<b>EAN code</b>	8017709312534



## Target

---

Industries

Hotels

## Aesthetics

---

<b>Colour</b>	Black
<b>Material</b>	Plastic
<b>Handle</b>	Integrated
<b>Logo colour</b>	Chrome
<b>Side material</b>	Steel
<b>Side colour</b>	Black
<b>Logo</b>	Silk screen

## Refrigerator compartment features

---



<b>No. of adjustable shelves</b>	1
<b>Type of adjustable shelves</b>	Glass
<b>Internal light in fridge</b>	Yes
<b>Type of internal light (fridge)</b>	LED

## Refrigerator Inner Door

---

<b>Number of adjustable door shelves</b>	1
<b>No. of bottle shelves</b>	1

## Other technical features

---

Refrigerant gas type	R600a	Refrigerant Quantity (gr)	25 g
----------------------	-------	---------------------------	------

## Performance / Energy Label

---

Noise level	23 dB(A) re 1 pW
-------------	------------------

## Performance / Energy Label

---

 G	
Annual energy consumption	131 kWh/a
Energy efficiency class	G
Airborne acoustical noise emission class	A
Total volume	20 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	20 l
Total volume	30 l
Climatic class	N
EEI	168 %

## Electrical Connection


---

Nominal power	65 W
Voltage (V)	230 V
Frequency (Hz)	50/60 Hz
Power supply cable length	150 cm
Plug	(F;E) Schuko

## Logistic Information

---

Width (mm)	384 mm
Depth without handle	375 mm
Product Height with feet	468 mm
Product width with maximum doors opening	567 mm
Product depth with doors open at 90°	742 mm
Dimensions of the product (WxDxH)	384x375x740 mm
Packed product dimensions (WxDxH)	455x475x505 mm



## Symbols glossary

---



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class G



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

## Benefit

---

The R600a refrigerant, with a low environmental impact, ensures rapid cooling and reduced energy consumption.

The integrated handle optimises space and reduces the risk of bumps thanks to the absence of protrusions. Additionally, the continuous surface makes cleaning easier.

The internal lighting ensures optimal visibility of the shelves, improving organisation within the fridge compartment.

Automatic defrosting prevents ice build-up and reduces the need for manual intervention, improving reliability and service continuity.