

# **MTE40**



**Product Family** Minibars Installation Free standing Category One Door Cooling type Thermo-Electric **Defrost** Automatic Standard Hinge type Hinge position Right Reversible door Yes

**EAN code** 8017709312541



#### **Aesthetics**

ColourBlackMaterialPlasticHandleIntegratedLogo colourChromeSide materialSteelSide colourBlackLogoSilk screen

### Refrigerator compartment features



No. of adjustable shelves2Type of adjustable shelvesGlassInternal light in fridgeYesType of internal light (fridge)LED

## **Refrigerator Inner Door**

Number of adjustable door shelves 1
No. of bottle shelves 1

#### Other technical features

Refrigerant gas type R600a Refrigerant Quantity 25 g (gr)



### Performance / Energy Label

Airborne acoustical noise emissions 21 dB(A) re 1pW

#### Performance / Energy Label NEW 2019



Annual energy consumption 161 kWh/a

Energy efficiency class G
Airborne acoustical noise emission class A
Total net volume 32 |
Sum of the volumes of the chill compartment(s) and 32 |

the unfrozen compartment(s)

Total gross volume 40 l
Climate class N
EEI 205 %


#### **Electrical Connection**


Plug (F;E) Schuko
Electrical connection rating 65 W
Voltage (V) 230 V
Frequency (Hz) 50/60 Hz
Power supply cable length 150 cm


### **Logistic Information**


Width	406 mm
Depth without handle	433 mm
Height	539 mm
Product width with maximum doors opening	600 mm
Product depth with doors open at 90°	823 mm













# Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class G



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.