

P106ES



Product Family	Hob
Built-in type	Traditional
Dimensions	100 cm
Power supply	Gas
Type	Gas
EAN code	8017709179175



Aesthetics



Aesthetic	Piano Design
Colour	Stainless steel
Acabamento	Brilhante
Material	Stainless Steel
Type of steel	Polished
Frame	No
Pan stands	Stainless steel
Pan Stand Coating	EverShine
Burner Coating	EverShine
Type of control setting	Control knobs
Control knob position	Front
No. of controls	6
Controls colour	Steel effect
Illuminated control knobs	No
Control knob protection	No

Program / Functions

No. of gas cook zones	6
Total no. of cook zones	6

Options

Corte padrão	480-484x839-844 mm
--------------	--------------------

Technical Features



Left - Gas - UR - 3.60 kW

Rear-left - Gas - Semi Rapid - 1.70 kW

Front-left - Gas - AUX - 0.90 kW

Front-right - Gas - Rapid - 2.40 kW

Rear-right - Gas - AUX - 0.90 kW

Right - Gas - UR - 3.60 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	13300 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories



GP106ES

Suportes para panelas de aço inox e
tampas de queimador



TPK

Placa grelhadora de aço inoxidável
para cozinhar pratos Teppanyaki

Symbols glossary

- | | | | |
|--|--|---|---|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Controle dos botões |
|  | Sempre Brilhante: é um revestimento invisível que torna a área afetada altamente resistente ao calor. |  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. |