

# P64ES



|                |               |
|----------------|---------------|
| Product Family | Hob           |
| Built-in type  | Traditional   |
| Dimensions     | 60 cm         |
| Power supply   | Gas           |
| Type           | Gas           |
| EAN code       | 8017709179151 |



## Aesthetics



|                         |                 |
|-------------------------|-----------------|
| Aesthetic               | Piano Design    |
| Colour                  | Stainless steel |
| Finishing               | Glossy          |
| Material                | Stainless Steel |
| Type of steel           | Polished        |
| Pan stands              | Stainless steel |
| Pan Stand Coating       | EverShine       |
| Burners                 | Piano Design    |
| Burners Material        | Stainless steel |
| Burner Coating          | EverShine       |
| Type of control setting | Control knobs   |
| Control knob position   | Front           |
| No. of controls         | 4               |
| Controls colour         | Steel effect    |

## Programs / Functions

|                         |   |
|-------------------------|---|
| Total no. of cook zones | 4 |
| No. of gas cook zones   | 4 |

## Options



|                 |                    |
|-----------------|--------------------|
| Worktop Cut-Out | 478-482x555-560 mm |
|-----------------|--------------------|

## Technical Features

Front-left - Gas - Semi Rapid - 1.70 kW

Rear-left - Gas - Rapid - 2.40 kW

Rear-right - Gas - Rapid - 3.00 kW

Front-right - Gas - AUX - 0.90 kW


|                          |     |                           |     |
|--------------------------|-----|---------------------------|-----|
| <b>Gas safety valves</b> | Yes | <b>Automatic Ignition</b> | Yes |
|--------------------------|-----|---------------------------|-----|

## Electrical Connection

|   |                   |                                  |          |
|---|-------------------|----------------------------------|----------|
| <b>Electrical connection rating (W)</b> | 1 W               | <b>Frequency (Hz)</b>            | 50/60 Hz |
| <b>Voltage (V)</b>                      | 220-240 V         | <b>Power supply cable length</b> | 120 cm   |
| <b>Type of electric cable installed</b> | Yes, Single phase |                                  |          |

## Gas Connection

|                                   |                    |                                       |         |
|-----------------------------------|--------------------|---------------------------------------|---------|
| <b>Gas Type</b>                   | G20 Natural gas    | <b>Other gas connections provided</b> | Conical |
| <b>Gas connection</b>             | Cilindrical        | <b>Gas connection rating (W)</b>      | 8000 W  |
| <b>Other gas nozzles included</b> | G30 GPL Liquid gas |                                       |         |



---

## Not included accessories

---



### GP64ES

St. Steel pan stands and burner caps



### TPK

Stainless steel grill plate to cook  
Teppanyaki dishes

---

## Symbols glossary (TT)

---



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



CUT\_OUT\_STANDARD\_72dpi



Ever Shine: is an invisible coating that makes the effected area highly resistant to heat.



Knobs control